



MA0007

1" short antenna with SMA connector

Frequency: 2.4 GHz Connector: SMA-

male





Frequency (MHz): 2450.00

Pattern Field: E Plane

Average Gain: -3.5 dB

Maximum Gain: 0.56 dB


Maximum Gain (degree): -74.29

Minimum Gain: -24.44 dB

Minimum Gain (degree): 5.71

JVL Industri Elektronik
 Blokken 42
 DK-3460 Birkerød
 Denmark

Tel: +45 4582 4440
 Fax: +45 4582 5550
 Email: jvl@jvl.dk
 Web: www.jvl.dk



Frequency (MHz): 2450.00

Pattern Field: H Plane

Average Gain: 0.22dB

Maximum Gain: 0.56 dB

Maximum Gain (degree): 92.81


Minimum Gain: -0.10 dB

Minimum Gain (degree): 289.69


JVL Industri Elektronik
 Blokken 42
 DK-3460 Birkerød
 Denmark

Tel: +45 4582 4440
 Fax: +45 4582 5550
 Email: jvl@jvl.dk
 Web: www.jvl.dk

S11



VSWR



JVL Industri Elektronik
 Blokken 42
 DK-3460 Birkerød
 Denmark

Tel: +45 4582 4440
 Fax: +45 4582 5550
 Email: jvl@jvl.dk
 Web: www.jvl.dk