# **Release Notes 2.27.05.00**

For the following motors MAC140F and 141F MAC083L and MAC320L.

Ver 2.27.05

#### 11. June 2025

- Fix MAC320L current limitation.
- Improve MAC320L dynamics
- fix inverted error pin on module issue

-----

# Ver 2.27.04

## 9. April 2025

- Fix position mode high resolution issue
- Fix absolute encoder invert rotation in position backup mode issue
- Change startup behavior with homing enabled.
   Motor will now enter start mode unless homing on powerup is enabled
- Fix MAC800 classic incremental encoder position wrap issue
- Fix Ethercat/Sercos Freerunning mode issue.

.....

#### Ver 2.27.03

## 6. February 2025

- Fix STO overload issue

\_\_\_\_\_

## Ver 2.27.02

## 29 January 2025

- Changed behaviour of O2. Signal inverted also when user controlled.
- Fixed Encoder startup issue when using invert direction
- Fixed minor CVI issue on MAC83-MAC320
- User selectable brake signal on OUT1
- Invert in-position O1 signal, also when O1 is user defined
- implemented STO trigger delay to allow for runtime sto cable testing
- Fixed Modbus TCP unit scaling connection issue
- Fixed Modbus TCP read velocity reg 8 issue
- Added Warning register functionality
- Improved MAC300G performance.
- Fix Regenerative overload calculation bug in 1.0ms sampling mode.

- Increase limit for allowed torque during mechanical homing.

-----

#### Ver 2.27.01.00

#### 13. November 2024

## Bug fixes:

- Fix long term operation stability issue
- Fix Encoder startup when using invert direction issue
- Fix CVI on MiniMac issue

\_\_\_\_\_

#### Ver 2.27.0

## 4. September 2024

## New functionality:

- Support for MAC083F
- Support for MAC141F
- Support MAC320P
- MiniMac add CVI/P+ operation so motor controller can stay alive on only CVI voltage
- non-RM4: add option for setting save position backup in flash when voltage at 18V instead of 15V

#### Improvements:

- MiniMac supply voltage reading no longer in Reg 21, only in UBUS reg 198
- RM4 STO detect voltage adjusted to 17V
- Implemented commands for on-the-fly baudrate change

## bugs fixed:

- MiniMac: improve position save stability
- absolute encoder motors: Fix mechanical endstop homing w. index pulse invert rotation direction issue.
- Minimac remove incorrect encoder initialization error
- Minimac w. absolute encoders: Fix incorrect position when rotating during boot error.
- Fix factory default cmd 0x100 issue

\_\_\_\_\_

#### Ver 2.26.21

#### 7. June 2024

- implement turntable actual position wrap compensation

Ver 2.26.20 29. February 2024 All Motors: - Improved signal handling for absolute encoders - adjusted regenerative load estimation - Improved current control stability for MAC3000G-RM46 Ver 2.26.19 9. February 2024 All Motors: - Fix incorrect hardware version value displayed in reg 205 for motors with hardware version >= 2.0 - reduce signal noise in measured temperature - Fix motor overheating issue for MAC800->1200 with HW version >= 2.0 -----Ver 2.26.18 18. January 2024 All Motors: - Fix EtherCat operation mode issue - Fix Ethernet module Unit scaling issue

-----

Ver 2.26.17

**19. December 202**3

#### MAC1200

- Fix false overcurrent error issue
- Fix unit scaling with ethernet module issue

-----

#### Ver 2.26.16

## 6. December 2023

#### All motors:

- Fix invert direction issue on abs encoder
- Fix abs encoder startup and noise issues
- Fix quad-to-pulse-dir conversion issue on external encoder
- improved noise filtering on external encoder input

Ver 2.26.15 30. October 2023 All Motors: - Fix regenerative load limit issue MAC320: - Fix motor error in active mode issue ver 2.26.14 18. October 2023 MAC1000, MAC3000G - Add functionality for factory configured torque limits Ver 2.26.13 29. August 2023 All motors: - Fix ethernet module restart issue - Improved ethernet/motor communication - Fixed ethernet save-in-flash issue Mac400: - Improved internal powerdump handling - Torque updated in passive mode. MAC402 - Improved high torque stability - Improved passive mode handling -----Ver 2.26.10 29 Mar 2023 MAC140F/320 only - Ethernet SPI issue fixed -----Ver 2.26.09 22 Feb 2023

MAC14xF only:

- Fix encoder calibration issue
Ver 2.26.07 8 Dec 2022
All motors: - Fixed invert rotation issue
Ver 2.26.06 21 Nov 2022

## All motors:

- Allowed for readout of encoder type in reg 283
- Fixed position save to flash issue

## MAC400, MAC402, MAC1500, MAC3000, MAC3000G, MAC4500:

- Fixed problem with absolute encoder and inverted direction flag
- Increased noise tolerance on ethernet sync
- Fixed support for 32 bit absolute encoder position
- Fixed absolute encoder issues at high temperatures

-----

# Ver 2.26.04

#### 11 Nov 2022

## MAC141x-F only:

- Fixed turntable issue when saving parameters to FLASH.
- Added special command 0x105C to perform factory reset on motor
- Fixed absolute position startup drift error
- increased noise tolerance on ethernet sync

\_\_\_\_\_

## Ver 2.26.02

## MAC400, MAC402, MAC1500, MAC3000, MAC3000G, MAC4500:

- fixed problem with ePLC program not starting automatically
- fixed problem with incorrect initial encoder position for incremental encoders

### MAC400

- adjusted regenerative load cool down time.

MAC140F

- add support for automatic current calibration.
Ver 2.26.1 7. Sep 2022
MAC400, MAC402, MAC1500, MAC3000, MAC3000G, MAC4500: - Support for new RM46 control core Improved motor performance for products using RM46 control core.
MAC140F:  - Fixed problem with register 35 not configuring crossfield.
All motors: Prevent outside sources from setting active mode until STO is completely cleared Fixed High resolution position mode
MAC1500 and MAC3000G: Efficiency of internal power dump improved (only for 1ms sample time)
MAC3000G: Powerdump threshold voltage reduced.
MAC400: Optimized I2T.

Ver 2.25.2
4 Feb 2022
Fired Ethan Oation on family II MAO matter
Fixed EtherCat issue for all MAC motors
Ver 2.25.0
11 Jan 2022
MAC140F:
- Initial release
MAC400 / MAC400G / MAC402 / MAC1500 / MAC3000 / MAC3000G / MAC4500 :
- Fixed problem with encoder direction when using gear out on absolute encoder motors
Ver 2.24
04 June 2021
Fixes:
- I2T scaling updated to prevent overflow (MAC402)
- Fixed issues with analogue torque mode
Ver 2.23
14 Jan 2021 AD
Improvements:
- Added commands 100 and 101 for factory testing.
- Handling of CRC-errors from Absolute encoders improved.
- Support for brake burn-in activation via command.
Fixes:
- Startup issue with abs.enoder flash backup fixed.
V2.23 is more robust against electrical noise, so if you
experience false overspeed errors, we recommend that you
update from v2.22 to v.2.23.